


# DHB Office Braemar Campus

Private Bag 18 Nelson, New Zealand

9 March 2022



Thank you for your request for official information received 4 February 2022 by Nelson Marlborough Health (NMH)<sup>1</sup>, followed by the necessary extension of time 2 March 2022, where you seek the following information:

1. Do you have a carbon neutral plan by 2025, and if so, what is the official wording of it?

#### NMH response:

NMH has commitment to carbon reduction and this is clearly identified within our Annual Plan, which is publicly available at this link <a href="https://www.nmdhb.govt.nz/quicklinks/news-and-publications/published-documents/nmh-annual-plan/">https://www.nmdhb.govt.nz/quicklinks/news-and-publications/published-documents/nmh-annual-plan/</a>

2. Do you have a carbon neutral team or committee? If so, how many are in this team, and are they trained/experts?

### NMH response:

NMH has appointed a qualified environmental sustainability coordinator who works alongside the Sustainability Group. This group has 15 members including 3 members of the executive team and other staff members who have expressed an interest in working on improvements to the NMH environmental direction.

3. How much carbon do you emit/how are your carbon emissions measured?

#### NMH response:

NMH is in the process of calculating our carbon emissions and working alongside  $Toit\bar{u}$  Envirocare to have this audited in May 2022.

<sup>&</sup>lt;sup>1</sup> Nelson Marlborough District Health Board

### 4. If coal is still in use at your facilities, when do you plan to phase it out?

### NMH response:

Coal boilers are used at both Nelson and Wairau hospital facilities. A business case has been completed and funding confirmed to replace the boilers at Wairau hospital over the next couple of years (the exact timing is subject to contractor availability). Nelson hospital's primary energy source is a landfill gas (LFG) boiler (approx. 80-85% of the energy demand) with coal utilised to supplement the demand that the LFG boiler is not able to meet. Various options are being explored to replace the coal boilers at Nelson over the next 2-3 years.

#### 5. Have you transitioned to EVs and or/hybrids? Have you begun to downsize your fleet size?

## NMH response:

NMH has a small number of fully electric vehicles (EVs) within the fleet and has largely transitioned to hybrid electric vehicles. The only exceptions are where an electric or hybrid vehicles is not suitable.

This response has been provided under the Official Information Act 1982. You have the right to seek an investigation by the Ombudsman of this decision. Information about how to make a complaint is available at <a href="https://www.ombudsman.parliament.nz">www.ombudsman.parliament.nz</a> or free phone 0800 802 602. If you have any questions about this decision please feel free to email our OIA Coordinator OIArequest@nmdhb.govt.nz

I trust that this information meets your requirements. NMH, like other agencies across the state sector, supports the open disclosure of information to assist the public's understanding of how we are delivering publicly-funded healthcare. This includes the proactive publication of anonymised Official Information Act responses on our website from 10 working days after they have been released. If you feel that there are good reasons why your response should not be made publicly available, we will be happy to consider.

Yours sincerely

Lexie O'Shea
Chief Executive